



## Retraction Notice

DOI: 10.14744/GKDAD.2022.32848

Bengü Şaylan, İsmail Selçuk, Bülent Barış Güven, Tayfun Çalışkan, Nehir Selçuk, İnşa Gül Ekiz İşcanlı.

The following article is retracted from publication in Journal of The Cardiovascular Thoracic Anaesthesia and Intensive Care Society by decision of editors of the journal since it is a duplicate publication, which has been previously published in Hamidiye Medical Journal.

### Duplicate publication

Bengü Şaylan, İsmail Selçuk, Bülent Barış Güven, Tayfun Çalışkan, Nehir Selçuk, İnşa Gül Ekiz İşcanlı. Comparison of High-Risk Pulmonary Embolism Patients with and without COVID-19.

Bengü Şaylan,<sup>1</sup> İsmail Selçuk,<sup>2</sup> Bülent Barış Güven,<sup>3</sup> Tayfun Çalışkan,<sup>2</sup> Nehir Selçuk,<sup>4</sup> İnşa Gül Ekiz İşcanlı<sup>5</sup>

<sup>1</sup>Department of Pulmonology, University of Health Science, Sultan 2. Abdulhamid Han Training and Research Hospital, Istanbul, Turkey

<sup>2</sup>Department of Cardiovascular Surgery, University of Health Science, Sultan 2. Abdulhamid Han Training and Research Hospital, Istanbul, Turkey

<sup>3</sup>Department of Anesthesiology, University of Health Science, Sultan 2. Abdulhamid Han Training and Research Hospital, Istanbul, Turkey

<sup>4</sup>Department of Cardiovascular Surgery, University of Health Science, Dr. Siyami Ersek Thoracic and Cardiovascular Surgery Training and Research Hospital, Istanbul, Turkey

<sup>5</sup>Department of Intensive Care, University of Health Science, Sultan 2. Abdulhamid Han Training and Research Hospital, Istanbul, Turkey

GKDA Derg 2022;28(1):56-63 | DOI: 10.14744/GKDAD.2022.32848.