



Eosinophilic Pleural Effusion: A Brief Review of Case Reports in Literature

Eozinofilik Plevral Efüzyon: Literatürdeki Olgu Sunumlarının Kısa Bir Değerlendirmesi

Ersin Demirer

Abstract

Eosinophilic pleural effusion is defined by an eosinophil count of more than 10 percent in the pleural fluid. Pleural irritation, trauma, and malignancy are common causes of eosinophilic pleural effusion. Drug reaction, infection, inflammation, pulmonary embolism, toxin, cirrhosis, and heart failure should be considered in the differential diagnosis. In this report the National Library of Medicine's Medline database was searched for case reports diagnosed with eosinophilic pleural effusion.

Key words: Pleura, eosinophil, effusion.

Özet

Plevra sıvısında eozinofil sayısının yüzde 10'dan yüksek olması eozinofilik plevral efüzyon olarak tanımlanır. Plevral hasar, travma ve malignite eozinofilik plevral efüzyonun sık nedenlerindendir. İlaç reaksiyonu, infeksiyon, inflamasyon, pulmoner embolizm, toksin, siroz ve kalp yetmezliği ayrırcı tanıda düşünülmelidir. Bu raporda National Library of Medicine's Medline veritabanı araştırılmış ve eozinofilik plevral efüzyon tanısı alan olgu sunuları değerlendirilmiştir.

Anahtar Sözcükler: Plevra, eozinofil, efüzyon.

Eosinophilic pleural effusion (EPE) is defined as a pleural effusion with a nucleated cell count containing more than 10% eosinophil and accounts for approximately 10% of exudative type of pleural effusions (1).

Pleural irritation, trauma, and malignancy are common causes of EPE. Drug reaction, infection, inflammation, pulmonary embolism, toxin, cirrhosis, and heart failure should be considered in the differential diagnosis (2,3).

Department of Chest Diseases, GMMA Haydarpaşa Training Hospital, İstanbul, Turkey

GATA Haydarpaşa Eğitim Hastanesi, Göğüs Hastalıkları Servisi, İstanbul

Submitted (Başvuru tarihi): 09.05.2013 **Accepted (Kabul tarihi):** 10.06.2013

Correspondence (İletişim): Ersin Demirer, Department of Chest Diseases, GMMA Haydarpaşa Training Hospital, İstanbul, Turkey

e-mail: drersin73@yahoo.com



EPE may be idiopathic. These patients should be monitored until the effusion resolves or a known cause becomes apparent.

In this study, the National Library of Medicine's Medline database was searched for case reports published in the English language until May 2013. The keywords "eosinophilic pleural effusion", "eosinophilic pleural fluid", and "eosinophilic pleurisy" were searched.

The electronic database searches identified 207 citations. A total of 137 papers that were not case reports related to EPE were excluded on the review of the title and abstract. The remaining 70 papers reporting 71 cases were evaluated (4-73). The cause of EPE was drug reaction or drug abuse in 24 (33.8%) cases, infection in 21 (29.6%) cases, inflammatory disease in 15 (21.1%) cases, tumor or malignancy in 9 (12.7%) cases, and postoperative or complication in 2 (2.8%) cases (Table 1).

Of 57 cases with detailed information of side and size of pleural fluid, 39 cases (68%) were male and 18 cases (32%) were female with a mean age of 47.6 ± 7.8 years (age range: 14-82 years). Twenty cases (35%) had moderate, 19 cases (33%) had massive, and 18 cases (32%) had mild pleural fluid. Pleural fluid was right sided in 22 cases (38%), while it was left sided in 21 cases (37%) and bilateral in 14 cases (25%).

Cytologic and microbiologic examination of pleural effusion, drug history, radiologic and clinical evaluation with a detailed blood analysis should be done to differentiate patients with EPE. In conclusion, case reports of EPE originating from trauma, hemorrhage to the pleural space, pneumothorax, and malignancy were reported less than they are observed in real life, although all these causes are mentioned as major causes of EPE in most of introduction sections of published materials.

Table 1: Characteristics of cases with eosinophilic pleural effusion.

Cause	Name	Cases (n)
Drug reaction or drug abuse		
	Valproic acid	4
	Dantrolene	3
	Mesalazine	2
	Propylthiouracil	2
	Diltiazem	1
	Divalproex sodium	1
	Fluoxetine hydrochloride	1
	Gliclazide	1
	Granulocyte macrophage colony stimulating factor	1
	Isoniazid	1
	Imidapril	1
	Isotretinoin	1
	Tizanidine	1
	Vitamin B5 and H	1
	Warfarin	1
	Crack cocaine	1
	Heroin	1
Infection	Parasitic	
	Microfilariae	3
	Paragonimiasis	3
	Strongyloidisis	3
	Anisakiasis	1
	Cutaneous myiasis	1
	Dracunculiasis	1
	Hydatid cyst	1
	Sparganosis	1
	Toxocariasis	1

Table 1: Characteristics of cases with eosinophilic pleural effusion (continuing).

Cause	Name	Cases (n)
	Bacterial	
	Mycoplasma pneumonia	1
	Pneumococcal empyema	1
	Q fever pneumonia	1
	Fungal	
	Aspergillosis	1
	Coccidioidomycosis	1
	Viral	
	Hepatitis A	1
Inflammatory disease	Churg-Strauss syndrome	4
	Idiopathic hypereosinophilic syndrome	2
	Sarcoidosis	2
	Acute eosinophilic pneumonia	1
	Chronic eosinophilic pneumonia	2
	Eosinophilic fasciitis	1
	Organized pneumonia	1
	Progressive systemic sclerosis and polymyositis	1
	Systemic lupus erythematosus	1
Tumor or malignancy	Lymphoma	5
	Multipl myeloma	3
	Eosinophilic granuloma of the rib	1
Postoperative or complication	Congenital heart surgery	1
	Gastric variceal obliteration with cyanoacrylate	1

CONFLICTS OF INTEREST

None declared.

AUTHOR CONTRIBUTIONS

Concept - E.D.; Planning and Design - E.D.; Supervision - E.D.; Funding - E.D.; Materials - E.D.; Data Collection and/or Processing - E.D.; Analysis and/or Interpretation - E.D.; Literature Review - E.D.; Writing - E.D.; Critical Review - E.D.

YAZAR KATKILARI

Fikir - E.D.; Tasarım ve Dizayn - E.D.; Denetleme - E.D.; Kaynaklar - E.D.; Malzemeler - E.D.; Veri Toplama ve/veya İşleme - E.D.; Analiz ve/veya Yorum - E.D.; Literatür Taraması - E.D.; Yazıcı Yazan - E.D.; Eleştirel İnceleme - E.D.

REFERENCES

- Kalomenidis I, Light RW. Eosinophilic pleural effusions. Curr Opin Pulm Med 2003; 9:254-60. [\[CrossRef\]](#)
- Krenke R, Nasilowski J, Korczynski P, Gorska K, Przybylowski T, Chazan R, et al. Incidence and aetiology of eosinophilic pleural effusion. Eur Respir J 2009; 34:1111-7. [\[CrossRef\]](#)
- Oba Y, Abu-Salah T. The prevalence and diagnostic significance of eosinophilic pleural effusions: a meta-analysis and systematic review. Respiration 2012; 83:198-208. [\[CrossRef\]](#)
- Kamenetsky Z, Da'as N, Esayag Y, Kleinman Y, Samuels N. Valproic acid-induced eosinophilic pleural effusion: a case report and review of the literature. Neurologist 2012; 18:39-40. [\[CrossRef\]](#)
- Khattri S, Kushawaha A, Dahal K, Lee M, Mobarakai N. Isoniazid (INH)-induced eosinophilic exudative pleural effusion and lupus erythematosus. A clinical reminder of drug side effects. Bull NYU Hosp Jt Dis 2011; 69:181-4.
- Boland JM, Vaszar LT, Jones JL, Mathison BA, Rovzar MA, Colby TV, et al. Pleuropulmonary infection by Paragonimus westermani in the United States: a rare cause of Eosinophilic pneumonia after ingestion of live crabs. Am J Surg Pathol 2011; 35:707-13. [\[CrossRef\]](#)
- Kirschner AN, Kuhlmann E, Kuzniar TJ. Eosinophilic pleural effusion complicating allergic bronchopulmonary aspergillosis. Respiration 2011; 82:478-81. [\[CrossRef\]](#)
- Mehta AA, Venkatakrishnan R, Jose W, Palaniappan M, Pavithran K. Multiple myeloma presenting as eosinophilic pleural effusion. Asia Pac J Clin Oncol 2010; 6:256-9. [\[CrossRef\]](#)

9. Fayaz M, Sultan A, Nawaz M, Sultan N. Mesalazine-induced eosinophilic variant of Wegener's granulomatosis in an ulcerative colitis patient. *J Ayub Med Coll Abbottabad* 2009; 21:171-3.
10. Tanizawa K, Kaji Y, Tanaka E, Inoue T, Sakuramoto M, Minakuchi M, et al. Massive eosinophilic pleural effusion preceding vasculitic symptoms in Churg-Strauss syndrome. *Intern Med* 2010; 49:841-5. [\[CrossRef\]](#)
11. Tzilas V, Bastas A, Koti A, Papandrinopoulou D, Tsoukalas G. A 77 year old male with peripheral eosinophilia, pulmonary infiltrates and a small pleural effusion. *Eur Rev Med Pharmacol Sci* 2009; 13:227-32.
12. Joshi P, Kasmani R, Hollingsworth J, Fernandes K, Mahajan K. Divalproex sodium-induced eosinophilic pleural effusion. *Am J Ther* 2009; 16:593-5. [\[CrossRef\]](#)
13. Tonelli AR, Khalife WT, Cao M, Young VB. Spherules, hyphae, and air-crescent sign. *Am J Med Sci* 2008; 335:504-6. [\[CrossRef\]](#)
14. Yamazaki M, Ohwada A, Miyaji A, Yamazaki H, Nara T, Hirai S, et al. Pulmonary paragonimiasis with coincidental malignant mesothelioma. *Intern Med* 2008; 47:1027-31. [\[CrossRef\]](#)
15. Tsapas A, Paletas K, Vlachaki E, Bekiari E, Spanos C, Economidis D. Eosinophilic pneumonia associated with heroin inhalation: a case report. *Wien Klin Wochenschr* 2008; 120:178-80. [\[CrossRef\]](#)
16. Aktoğlu Ozkan S, Erer OF, A Yalçın Y, Yuncu G, Aydoğdu Z. Hydatid cyst presenting as an eosinophilic pleural effusion. *Respirology* 2007; 12:462-4.
17. Bullington W, Sahn SA, Judson MA. Valproic acid-induced eosinophilic pleural effusion: a case report and review of the literature. *Am J Med Sci* 2007; 333:290-2. [\[CrossRef\]](#)
18. Raptis L, Pappas G, Katsanou A, Koutsouka F, Petrakis D, Akritidis N. Diltiazem-induced eosinophilic pleural effusion. *Pharmacotherapy* 2007; 27:600-2. [\[CrossRef\]](#)
19. Chang CJ, Cheng JH, Lin MS, Dai YC, Hsue TR. Eosinophilic pleural effusion as the first presentation of angiocentrinoblastic T cell lymphoma. *J Formos Med Assoc* 2007; 106:156-60. [\[CrossRef\]](#)
20. Sen N, Ermis H, Karatasli M, Habesoglu MA, Eyuboglu FO. Propylthiouracil-associated eosinophilic pleural effusion: a case report. *Respiration* 2007; 74:703-5. [\[CrossRef\]](#)
21. Boonsarngsuk V, Suwatanapongched T. Eosinophilic pleural effusion after gastric variceal obliteration with cyanoacrylate. *Respir Med* 2007; 101:859-62. [\[CrossRef\]](#)
22. Boyer D, Vargas SO, Slattery D, Rivera-Sanchez YM, Colin AA. Churg-Strauss syndrome in children: a clinical and pathologic review. *Pediatrics* 2006; 118:e914-20. [\[CrossRef\]](#)
23. Vafiadis E, Sidiropoulou MS, Voutsas V, Giannopoulos TL, Iordanidis F, Christaki P, et al. Eosinophilic pleural effusion, peripheral eosinophilia, pleural thickening, and hepatosplenomegaly in sarcoidosis. *South Med J* 2005; 98:1218-22. [\[CrossRef\]](#)
24. Perens GS, Shannon KM, Levi DS, Drant S. Successful treatment of eosinophilic pleural effusions following congenital heart surgery. *Pediatr Cardiol* 2006; 27:168-9. [\[CrossRef\]](#)
25. Urano T, Nishiumi M, Tajiri S, Ishii H, Tanigaki T, Kobayashi K, et al. Eosinophilic pleurisy induced by dantrolene. *Tokai J Exp Clin Med* 2005; 30:189-92.
26. Yoshida H, Hasegawa R, Hayashi H, Irie Y. Imidapril-induced eosinophilic pleurisy. Case report and review of the literature. *Respiration* 2005; 72:423-6.
27. Saito W, Kawakami K, Kuroki R, Matsuo H, Oishi K, Nagatake T. Pulmonary anisakiasis presenting as eosinophilic pleural effusion. *Respirology* 2005; 10:261-2. [\[CrossRef\]](#)
28. Ashwath ML, Robinson DR, Katner HP. A presumptive case of toxocariasis associated with eosinophilic pleural effusion: case report and literature review. *Am J Trop Med Hyg* 2004; 71:764.
29. Lê-Quang B, Calmels P, Valayer-Chaléat E, Fayolle-Minon I, Gautheron V. Dantrolene and pleural effusion: case report and review of literature. *Spinal Cord* 2004; 42:317-20. [\[CrossRef\]](#)
30. Kravetz JD, Federman DG. Valproic acid-induced eosinophilic pleural effusion. *South Med J* 2003; 96:803-6. [\[CrossRef\]](#)
31. Strong DH, Westcott JY, Biller JA, Morrison JL, Effros RM, Maloney JP. Eosinophilic "empyema" associated with crack cocaine use. *Thorax* 2003; 58:823-4. [\[CrossRef\]](#)
32. Moufarrege G, Frank E, Carstens DD. Eosinophilic exudative pleural effusion after initiation of tizanidine treatment: a case report. *Pain Med* 2003; 4:85-90. [\[CrossRef\]](#)
33. Maeshima E, Nishimoto T, Yamashita M, Mune M, Yukawa S. Progressive systemic sclerosis-polymyositis overlap syndrome with eosinophilic pleural effusion. *Rheumatol Int* 2003; 23:252-4. [\[CrossRef\]](#)
34. Premanand R, Prasad GV, Mohan A, Gururajkumar A, Reddy MK. Eosinophilic pleural effusion and presence of filariform larva of *Strongyloides stercoralis* in a patient with metastatic squamous cell carcinoma deposits in the pleura. *Indian J Chest Dis Allied Sci* 2003; 45:121-4.

- 35.** Kao CC, Ou LS, Lin SJ, Huang JL. Childhood idiopathic hypereosinophilic syndrome: report of a case. *Asian Pac J Allergy Immunol* 2002; 20:121-6.
- 36.** Ishii H, Mukae H, Inoue Y, Kadota JI, Kohno S, Uchiyama F, et al. A rare case of eosinophilic pleuritis due to sparganosis. *Intern Med* 2001; 40:783-5. [\[CrossRef\]](#)
- 37.** Felz MW, Haviland-Foley DJ. Eosinophilic pleural effusion due to dantrolene: resolution with steroid therapy. *South Med J* 2001; 94:502-4. [\[CrossRef\]](#)
- 38.** Debourdeau PM, Djedjzar S, Estival JL, Zammit CM, Richard RC, Castot AC. Life-threatening eosinophilic pleuropericardial effusion related to vitamins B5 and H. *Ann Pharmacother* 2001; 35:424-6. [\[CrossRef\]](#)
- 39.** Hirasaki S, Kamei T, Iwasaki Y, Miyatake H, Hiratsuka I, Horiike A, et al. Churg-Strauss Syndrome with pleural involvement. *Intern Med* 2000; 39:976-8. [\[CrossRef\]](#)
- 40.** Trisolini R, Dore R, Biagi F, Luinetti O, Pochetti P, Carrabino N, et al. Eosinophilic pleural effusion due to mesalamine. Report of a rare occurrence. *Sarcoidosis Vasc Diffuse Lung Dis* 2000; 17:288-91.
- 41.** Behnia M, Dowdeswell I, Vakili S. Pleural fluid and serum eosinophilia: association with fluoxetine hydrochloride. *South Med J* 2000; 93:611-3. [\[CrossRef\]](#)
- 42.** Ashitani J, Kumamoto K, Matsukura S. Paragonimiasis westermani with multifocal lesions in lungs and skin. *Intern Med* 2000; 39:433-6. [\[CrossRef\]](#)
- 43.** Shklarsky S, Miron D, Horowitz Y. Eosinophilic pleural effusion due to *Mycoplasma pneumoniae* infection. *Isr Med Assoc J* 1999; 1:123-4.
- 44.** Tzanakis N, Bouros D, Siafakas N. Eosinophilic pleural effusion due to gliclazide. *Respir Med* 2000; 94:94.
- 45.** Killen JW, Swift GL, White RJ. Eosinophilic fasciitis with pulmonary and pleural involvement. *Postgrad Med J* 2000; 76:36-7. [\[CrossRef\]](#)
- 46.** Emad A. Exudative eosinophilic pleural effusion due to *Strongyloides stercoralis* in a diabetic man. *South Med J* 1999; 92:58-60. [\[CrossRef\]](#)
- 47.** Goyal SB. Intestinal strongyloidiasis manifesting as eosinophilic pleural effusion. *South Med J* 1998; 91:768-9. [\[CrossRef\]](#)
- 48.** Godding V, Bodart E, Delos M, Sibille Y, Galanti L, De Coster P, et al. Mechanisms of acute eosinophilic inflammation in a case of acute eosinophilic pneumonia in a 14-year-old girl. *Clin Exp Allergy* 1998; 28:504-9. [\[CrossRef\]](#)
- 49.** Hossain M, Okubo Y, Yamaguchi S, Horie S, Itoh S, Sugii S, et al. Immunological analysis of organized pneu-
monia with eosinophilic pleural effusion. *Int Arch Allergy Immunol* 1996; 111:195-8. [\[CrossRef\]](#)
- 50.** Kuwahara T, Hamada M, Inoue Y, Aono S, Hiwada K. Warfarin-induced eosinophilic pleurisy. *Intern Med* 1995; 34:794-6. [\[CrossRef\]](#)
- 51.** Seebach J, Speich R, Fehr J, Tuchschmid P, Russi E. GM-CSF-induced acute eosinophilic pneumonia. *Br J Haematol* 1995; 90:963-5. [\[CrossRef\]](#)
- 52.** Kaufman J, O'Shaughnessy IM. Eosinophilic pleural effusion associated with valproic acid administration. *South Med J* 1995; 88:881-2. [\[CrossRef\]](#)
- 53.** Simmons WW, Warren RE. Eosinophilic pleural effusion associated with recovery from viral hepatitis A. *J Clin Gastroenterol* 1994; 19:143-5. [\[CrossRef\]](#)
- 54.** Rodríguez JN, Pereira A, Martínez JC, Conde J, Pujol E. Pleural effusion in multiple myeloma. *Chest* 1994; 105:622-4. [\[CrossRef\]](#)
- 55.** Middleton KL, Santella R, Couser JI Jr. Eosinophilic pleuritis due to propylthiouracil. *Chest* 1993; 103:955-6. [\[CrossRef\]](#)
- 56.** Singh RS, Sridhar MS, Bhaskar CJ. Tropical pulmonary eosinophilia presenting as eosinophilic pleural effusion. *Indian J Chest Dis Allied Sci* 1992; 34:225-9.
- 57.** Klion AD, Eisenstein EM, Smirniotopoulos TT, Neumann MP, Nutman TB. Pulmonary involvement in loiasis. *Am Rev Respir Dis* 1992; 145:961-3. [\[CrossRef\]](#)
- 58.** Kawasaki A, Mizushima Y, Matsui S, Hoshino K, Yano S, Kitagawa M. A case of T-cell lymphoma accompanying marked eosinophilia, chronic eosinophilic pneumonia and eosinophilic pleural effusion. A case report. *Tumori* 1991; 77:527-30.
- 59.** Lau MS, Pien FD. Eosinophilic pleural effusions. *Hawaii Med J* 1990; 49:206-7.
- 60.** Cordier JF, Faure M, Hermier C, Brune J. Pleural effusions in an overlap syndrome of idiopathic hypereosinophilic syndrome and erythema elevatum diutinum. *Eur Respir J* 1990; 3:115-8.
- 61.** Uttamchandani RB, Trigo LM, Poppiti RJ Jr, Rozen S, Ratzan KR. Eosinophilic pleural effusion in cutaneous myiasis. *South Med J* 1989; 82:1288-91. [\[CrossRef\]](#)
- 62.** Erzurum SC, Underwood GA, Hamilos DL, Waldron JA. Pleural effusion in Churg-Strauss syndrome. *Chest* 1989; 95:1357-9. [\[CrossRef\]](#)
- 63.** Murphy PP, Richardson SG. Q fever pneumonia presenting as an eosinophilic pleural effusion. *Thorax* 1989; 44:228-9. [\[CrossRef\]](#)

- 64.** Bunker CB, Sheron N, Maurice PD, Kocjan G, Johnson NM, Dowd PM. Isotretinoin and eosinophilic pleural effusion. *Lancet* 1989; 1:435-6. [\[CrossRef\]](#)
- 65.** Lipworth BJ, Dhillon DP. A case of eosinophilic pleural effusion complicating multiple myeloma. *Scott Med J* 1988; 33:278.
- 66.** Boornazian JS, Fagan MJ. Tropical pulmonary eosinophilia associated with pleural effusions. *Am J Trop Med Hyg* 1985; 34:473-5.
- 67.** Durand DV, Dellinger A, Guerin C, Guerin JC, Levrat R. Pleural sarcoidosis: one case presenting with an eosinophilic effusion. *Thorax* 1984; 39:468-9. [\[CrossRef\]](#)
- 68.** Pappas CA, Rheinlander HF, Stadecker MJ. Pleural effusion as a complication of solitary eosinophilic granuloma of the rib. *Hum Pathol* 1980; 11:675-7. [\[CrossRef\]](#)
- 69.** Harrow EM. Eosinophilic pleural effusion in a patient with chronic eosinophilic pneumonia. *J Maine Med Assoc* 1980; 71:241-3.
- 70.** Wysenbeek AJ, Pick AI, Sella A, Beigel Y, Yeshurun D. Eosinophilic pleural effusion with high anti-DNA activity as a manifestation of systemic lupus erythematosus. *Postgrad Med J* 1980; 56:57-8. [\[CrossRef\]](#)
- 71.** Gentilini M, Carme B, Smith M, Brucker G, Nosny Y. A case of eosinophilic pleurisy due to Dracunculus medinensis infection. *Trans R Soc Trop Med Hyg* 1978; 72:540-1. [\[CrossRef\]](#)
- 72.** Farah MG, Nassar VH, Shahid M. Marked eosinophilia and eosinophilic pleural effusion in Hodgkin's disease. Report of a case with review of literature. *J Med Liban* 1973; 26:513-21.
- 73.** Henderson AH, Mejia G. Malignant lymphoma presenting with a high eosinophilia, eosinophilic pleurisy, and pericarditis. *Thorax* 1969; 24:124-5. [\[CrossRef\]](#)