

Reply to the Letter to the Editor: "Correct Interpretation of Exaggerated Blood Pressure Response During Exercise Tests"

Editöre Mektup Yanıtı: "Egzersiz Testleri Sırasında Abartılı Kan Basıncı Yanıtının Doğru Yorumlanması"

To the Editor,

We express our gratitude to the author for their letter¹ and insightful commentary regarding our recent article titled "Different Cardio-selective ß-blockers and the Prevention of Exaggerated Blood Pressure Response During Exercise: A Retrospective Cross-sectional Study".² They have raised pertinent points regarding the limitations of our study.

Primarily, we acknowledge the significance of assessing patients' cardiorespiratory fitness status and exercise workload levels, which are correlated with age and gender, in evaluating the exaggerated blood pressure response (eBPR) during exercise. Additionally, we agree that varying exercise protocols can yield different blood pressure responses (BPR), and that endothelial dysfunction, potentially stemming from vascular inflammation, could be a significant contributor to eBPR. Given the retrospective nature of our study, as highlighted in our article, we regret the absence of data on high-sensitivity C-reactive protein (hs-CRP) levels and the inability to standardize exercise protocols.

However, we find it impractical to adopt the suggestion of concurrently evaluating systolic blood pressure and the workload ratio to enhance the interpretation of eBPR within our study population. This consideration arises from the fact that the referenced study was conducted among professional indoor athletes.³

In summary, we contend that our study may provide valuable insights for prospective randomized investigations into the assessment of eBPR and its potential utilization as a novel treatment target.

References

- 1. Coner A. Correct interpretation of exaggerated blood pressure response during exercise tests. *Turk Kardiyol Dern Ars.* 2024;52(4):302–303.
- Mert GÖ, Şener E, Yılmaz AS, et al. Different Cardio-Selective ß-Blockers and the Prevention of Exaggerated Blood Pressure Response During Exercise: A Retrospective Cross-Sectional Study. *Turk Kardiyol Dern Ars.* 2024;52(1):27–35. English. [CrossRef]
- Bauer P, Kraushaar L, Dörr O, Nef H, Hamm CW, Most A. Workload-indexed blood pressure response to a maximum exercise test among professional indoor athletes. *Eur J Prev Cardiol.* 2021;28(13):1487-1494. [CrossRef]

LETTER TO THE EDITOR REPLY

EDİTÖRE MEKTUP YANITI



Department of Cardiology, Eskişehir Osmangazi University, Faculty of Medicine, Eskişehir, Türkiye

Corresponding author:

Gurbet Özge Mert ⊠ gozgeyun@gmail.com

Cite this article as: Mert GÖ. Reply to the letter to the editor: "Correct interpretation of exaggerated blood pressure response during exercise tests". *Turk Kardiyol Dern Ars.* 2024;52(4):304.

DOI:10.5543/tkda.2024.50625



Available online at archivestsc.com. Content of this journal is licensed under a Creative Commons Attribution – NonCommercial-NoDerivatives 4.0 International License.